



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D4088-041
Job Sheet 199486



Part No: D4088-041

Job Qty: 12 pcs

Part Name: Shoulder Harness



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 8/26/19

Job Tracking No:

Due Date: 9/19/19

Created By: Chantal Lavoie

Type: Stock

Description:

Note: DWG REV B SHEET 1 IPP REV:A NEW ISSUE DD 10.04.29 VERIFIED:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier	Sign-off
					Setup Hrs	Run Hrs		
100	Purchasing AUG 26 2019	12 pcs	9/19/19	9/19/19	0.00	0.00	Purchasing - 1	
							Purchasing - 2	
							Purchasing - 3	
110	Packaging 2-1 - Receive - B4B	12 pcs	9/19/19	9/19/19	0.00	0.00	Packaging 2 - 1 - B4B	
							Packaging 2 - 2 - B4B	
							Packaging 2 - 3 - B4B	
							Packaging 2 - 5 - B4B	
							Packaging 2 - 4 - B4B	
							Packaging 2 - 6 - B4B	
							Packaging 2 - 7 - B4B	
							Packaging 2 - 8 - B4B	
							Packaging 2 - 9 - B4B	
							Packaging 2 - 10 - B4B	
							Packaging 2 - 11 - B4B	
							Packaging 2 - 12 - B4B	
							Packaging 2 - 13 - B4B	
							Packaging 2 - 14 - B4B	
							Packaging 2 - 15 - B4B	
							Packaging 2 - 16 - B4B	
							Packaging 2 - 17 - B4B	
							Packaging 2 - 18 - B4B	
							Packaging 2 - 19 - B4B	
							Packaging 2 - 20 - B4B	
							Packaging 2 - 21 - B4B	
							Packaging 2 - 22 - B4B	
							Packaging 2 - 23 - B4B	
							Packaging 2 - 24 - B4B	
							Packaging 2 - 25 - B4B	
							Packaging 2 - 26 - B4B	
							Packaging 2 - 27 - B4B	
							Packaging 2 - 28 - B4B	



Container No: S218499



Part: D4088-041

Job No: 199486

Serial No/Batch: S218499

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 08/30/19

					Packaging 2 - 29 - B4B	
					Packaging 2 - 30 - B4B	
					Packaging 2 - 31 - B4B	
					Packaging 2 - 32 - B4B	
					Packaging 2 - 33 - B4B	
					Packaging 2 - 34 - B4B	
					Packaging 2 - 35 - B4B	
					Packaging 2 - 36 - B4B	
120 QC 6	12 pcs	9/19/19	0.00 0.00		QC 6 - 9	
					QC 6 - 68	DAS
					QC 6 - 61	61
					QC 6 - 40	9-89
					QC 6 - 81	
130 Packaging 3-1 - Stock - B4B	12 pcs	9/19/19	0.00 0.00		Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	DAS
					Packaging 3 - 7 - B4B	28
					Packaging 3 - 8 - B4B	9-89
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
140 QC 21 - SA	12 pcs	9/19/19	0.00 0.00		QC 21 - SA - 21	
					QC 21 - SA - 70	OCT 16 2019 DAS
					QC 21 - SA - 53	70
						9-89

Part Op 100 - (Purchasing) Issue P/O: _____ Manufacture D4088-041 as per Dwg D4088

Descriptions: 110 - (Receive & Inspect for Damage & Mat'l Certs)

120 - (QC6- All purchased or subcontracted products)


130 - (Identify as per dwg & Stock Location: _____)

140 - (QC21- Final Inspection - Work Order Release)

Job BOM				
Part / Item	Component Name	Quantity	Operation	Container
3221-1-011-2396	Shoulder Harness D4088-041	12 pcs (1 ea)	100-Purchasing	5218496
Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	3221-1-011-2396	12	0	0
Part Specifications				
Specifications could not be found.				

Plex 8/26/19 9:22 AM Dart.Lavoie.Chantal

SPECIFICATION CONTROL DRAWING



D4088-041 SHOULDER HARNESS

- NOTES:**
- 1) MATERIAL: AMSAFE INC. P/N 3221-1-011-2398
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-011-2398
CUST P/N: D4088-041
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114
 - 7) WEIGHT: 1.5 lbs

REV.	DESCRIPTION	DATE
B	ADD D4088-041-047 (REASON: CIR 15-02)	17.01.31
A	NEW ISSUE	10.02.16
DESIGN	CP	BY
DRAWN	JMH	DATE
CHECKED	ML	
MFG. APPR.	JLM	
APPROVED	HS	
DE APPR.	DS	
DATE	17.01.31	

RELEASED
2017-03-06
E17-533

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	REV. B
DRAWING NO. D4088	SHEET 1 OF 4
TITLE SHOULDER HARNESS	SCALE
DATE 17.01.31	NTS
COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE IT IS TO BE USED FOR THE PURPOSE OF CONFORMANCE TO THE CANADIAN STANDARD CAN/CSA-Z329.1-01 (MAY 1999) (R2004)	

SPECIFICATION CONTROL DRAWING

Ø0.198-0.208
CSK Ø0.385x100°
4 PL

1.417

1.514

110.0±0.5"

INERTIA REEL ASSY, REF
(AMSAFE P/N 501580-575)

CONNECTOR ASSY, REF
(AMSAFE P/N 504768-405-72)

BUCKLE ASSY, REF
(AMSAFE P/N 505703-403-72)

HOOK ASSY, REF
(AMSAFE P/N 502737-441-72)

LABEL REF
(AMSAFE P/N 447664)

LABEL REF
(AMSAFE P/N 447664)

RELEASED
2017-03-06

D4088-043 SHOULDER HARNESS

NOTES:
1) MATERIAL: AMSAFE INC. P/N 3221-1-021-2386
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-021-2386
CUST P/N: D4088-043
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114
7) WEIGHT: 1.5 lbs

DESIGN	CP	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	JMH	DRAWING NO.	D4088
CHECKED	ML	REV. B	SHEET 2 OF 4
MFG. APPR.	JLM	TITLE	SHOULDER HARNESS
DE APPR.	HS	SCALE	NTS
DATE	17.01.31		

Ø0.198-0.208
CSK Ø0.385x100°
4 PL

**INERTIA REEL ASSY, REF
(AMSAFE P/N 501580-575)**

110.0±0.5^m

CONNECTOR ASSY, REF
AMSAFE P/N 504768-405-72)

LABEL, REF (AMSAFE P/N 447664)

HOOK ASSY, REF-
AMSAFE P/N 502737-441-72)

-BUCKLE ASSY, REF
(AMSAFE P/N 505703-403-72)

HOOK ASSY, REF
(AMSAFE P/N 502737-441-72)

LABEL, REF
AMSAFE P/N 447684

D4088-043 SHOULDER HARNESS

- NOTES:
1) MATERIAL: ANSAFE INC. PIN 3221-1-021-2368
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 0118 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-021-2366
CUST PIN: D4086-043
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JMH	DRAWING NO.	REV. B
CHECKED	ML	D4088	SHEET 2 OF 4
MFG. APPR.	JLM	TITLE	SCALE
APPROVED	HS	SHOULDER HARNESS	
DE APPR.	DS	DART AEROSPACE LTD	
DATE	17.01.31	COPY 100% BY DART THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE KEPT IN THE COMPANY'S FILES AND NOT TO BE LOANED, REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	

7) WEIGHT: 1.5 lbs

SPECIFICATION CONTROL DRAWING

DESIGN		CP	JMH	ML	JLM	HS	DS	NTS
DRAWN	CHECKED	MFG. APPR.	DIE APPR.	DATE	17.01.31			
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		DRAWING NO. D4088		REV. B SHEET 3 OF 4		TITLE SHOULDER HARNESS		

NOTES:

- 1) MATERIAL: AMSAFE INC. PN 3221-1-051-2306
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-051-2306
CUST. PN: D4088-045
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114
- 7) WEIGHT: 1.5 lbs

**INERTIA REEL ASSY, REF
(AMSAFE P/N 601580-576)**

CONNECTOR ASSY, REF
(AMSAFE P/N 504768-405-72)

**LABEL, REF
(AMSAFE P/N 447664)**

HOOK ASSY, REF-
(AMSAFE P/N 502737-441-72)


D4088-045 SHOULDER HARNESS

NOTES:
1) MATERIAL: AMSAFE INC. PIN 3221-1-051-2386
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-051-2386
CUST PIN: D4088-046
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114

2017-03-06
RELEASED
APPROVED

DESIGN	CP	DART AEROSPACE LTD	
DRAWN	JMH	HAMMERSBURY, ONTARIO, CANADA	
CHECKED	ML	DRAWING NO.	REV. B
MFG. APPR.	JLM	D4088	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DATE	DS	SHOULDER HARNESS	NTS
17.01.31		EXAMINED & FOUND OK BY DART AEROSPACE LTD THIS DOCUMENT IS VALID FOR THE PURPOSES OF THE CANADIAN STANDARDS FOR THE YEAR 1988 THIS DRAWING IS VALID FOR THE PURPOSES OF THE CANADIAN STANDARDS FOR THE YEAR 1988	

SPECIFICATION CONTROL DRAWING



D4088-047 SHOULDER HARNESS

- NOTES:**
- 1) MATERIAL: AMS/SAFE INC. P/N 3221-1-061-2386
3 POINT SHOULDER HARNESS WITH PUSH BUTTON BUCKLE
MEETS REQUIREMENTS OF TSO-C114
CHROME HARDWARE PLATING AND BLACK WEBBING
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: LABEL TO CONTAIN THE FOLLOWING AT MINIMUM:
PART NUMBER 3221-1-061-2386
CUST P/N: D4088-047
RATED: 3000 LBS DATE OF MFG:
CONFORMS TO TSO-C114
 - 7) WEIGHT: 1.5 lbs

DESIGN	CP	JMH	ML	JLM	HS	DS	DATE	17.01.31
DRAWN								
CHECKED								
IMFG. APPR.								
APPROVED								
DE APPR.								
DART AEROSPACE LTD HAWTHORNSBURRY, ONTARIO, CANADA								
DRAWING NO. D4088								
REV. B								
SHEET 4 OF 4								
TITLE SHOULDER HARNESS								
SCALE NTS								
CONFORMS TO TSO-C114								
THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE FOR REUSE IN ANY MANNER WITHOUT RESTRICTION								

RELEASED
2017-03-06



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB044349



Supplier: AMS002-VU
Amsafe Inc.
1043 North 47th Avenue
Phoenix, AZ 85043 USA
Phone: 602 850 2850
Fax: 602-278-3479

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: POHB044349

PO Date: 8/26/19

Due Date: 9/23/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
Phone: 613-623-5200 Ext: 242
Fax: 613-632-1053
clavoie@dartaero.com

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

AUG 27 2019

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	199486	3221-1-011-2396			Shoulder Harness D4088-041 As per Dwg D4088 Rev. B	Firmed	-	9/23/19	12 pcs	0 pcs	12 pcs	\$384.26/pcs	\$4,611.12
												DAS 61 9-89	DP
												SEP 30 2019	
												Grand Total:	\$4,611.12

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Procurement Quality Clauses

- A005 RIGHT OF ENTRY
- A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)
- A012 CHEMICAL AND PHYSICAL TEST REPORTS
- A016 PERSONNEL QUALIFICATION
- A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
- A026 CERTIFICATION OF MATERIAL CONFORMANCE
- A041 QUALITY MANAGEMENT SYSTEM
- A042 DART NOTIFICATION BY SUPPLIER
- A043 RETENTION OF QUALITY DOCUMENT
- A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM
- A049 SUPPLIER AWARENESS

Plex 8/26/19 11:35 AM Dart.Lavoie.Chantal

AmSafe

1043 NORTH 47th AVENUE
PHOENIX, AZ 85043
PH (602)850-2850 FAX (602)850-2812

SHIPPER



CUSTOMER NO.
10006113

SALES ORDER NO.
S417799

BOL NO.
000555211

DATE PRINTED
09/13/19

PAGE NO.
1

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY
HAWKESBURY, ON K6A 1K7
Canada

DART AEROSPACE LTD.
1270 ABERDEEN ST
HAWKSBURY,, ON K6A 1K7
Canada



Ship to ID: 10006125

CUSTOMER ORDER NO.
POHBO44349

TERMS
NET30

FREIGHT
COLLECT

SHIP VIA
FedEx Intl Economy

F.O.B.
ORIGIN

Sales Order Remarks: 1517-9324-0

Remarks:

QUALITY CLAUSES:
A004, A005, A012, A016, A017, A026, A040,
A041, A042, A043
DART HOLDS STC CERTIFICATE AN IS ALLOWED TO PURCHASE NON PMA PARTS

SHIPMENT REFERENCE 000555211

LINE	ITEM NUMBER / DESCRIPTION	DRAWING AND CERTIFICATIONS	DUE DATE	QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED
1.	3221-1-011-2396 REST SYS ASSY W/IR	DRAWING: 3221 REV: D CERT: TSO-C114 Lot/Serial Numbers Shipped Quantity S417799-1 12.0	2019-09-16	12 Expire Ref.	12 12	0

DAS
61
9-89

RECEIVED
SEP 16 2019
DART AEROSPACE LTD.

AmSafe Authorized Signature: X

Printed Name:

Erika Chávez
Erika Chávez

Dated: SEP 13 2019

COUNTRY OF ORIGIN USA



CERTIFICATE OF CONFORMANCE

I certify that the article(s) listed below:

- *Conforms to all applicable drawing dimensions and specifications.
- *(If applicable) Meets the requirements of FAR 25.853 (a) Compartment Interiors.
- *(If applicable) Conforms to British CAA specifications.
- *(If applicable) All parts/materials are certified new, conform to the design data, and are in airworthy condition.
- *Meets all the requirements of TSO-C114.
- *The parts/materials reflected herein were produced under a FAA approved Manufacturing and Quality Assurance system/methods as set in FAR Part 21 Sub-Part O, Para. 21.601.
- *The conditions and tests required for TSO approval of this article are minimum performance standards.
- *It is the responsibility of those installing this article either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the TSO standard.
- *TSO articles must have separate approval for installation in an aircraft. The article may be installed only if performed under 14 CFR part 43 or applicable airworthiness requirements.
- *For the latest copy of the CMM/SMM, please log onto www.amsafeaviation.com

CUSTOMER NAME: DART AEROSPACE

SALES ORDER NO. S417799

Line	Purchase Order No.	Am-safe Part No.	Rev.	Lot No.	Customer Part No.	Rev.	Dated Code	Quantity
1	POHB044349	3221-1-011-2396	D	N/A	NONE	N/A	A0919	12

DAS
61
9-89

This document is the property of the customer and should remain with the articles listed above.
PLEASE DELIVER TO THE QUALITY ASSURANCE DEPARTMENT

REMARKS:

NEW

AMSAFE INC
1043 NORTH 47th. AVENUE
PHOENIX, ARIZONA 85043 USA
PHONE: (602) 850-2850 FAX:(602) 850-2812


QUALITY ASSURANCE REPRESENTATIVE

9-12-2019
DATE

CUSTOMER

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG		3. Form Tracking Number: S417799 - 1 - <i>Mu</i>	
4. Organization Name and Address: AmSafe, Inc. 1043 North 47th Avenue Phoenix, Arizona 85043		Cert. No. PT1967NM		5. Work order/Contract/Invoice Number: S417799 - 1 <i>e</i> PAGES ATTACHED	
6. Item: 1	7. Description: REST SYS ASSY W/IR	8. Part Number: 3221-1-011-2396	9. Quantity: 12	10. Serial Number: <i>NIA</i>	11. Status/Work: NEW
12. Remarks: Drawing: 3221 Rev: D TSO: TSO-C114 					
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in a condition for safe operation ☐ Non-approved design data specified in Block 12.					
13b. Authorized Signature: <i>Maria Uribe</i>		13c. Approval/Authorization No.: ODA602112NM		14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12	
13d. Name (typed or printed): MARIA URIBE		13e. Date (dd/mm/yyyy): <i>12/sep/2019</i>		14b. Authorized Signature	
				14c. Authorized/Certificate No.	
				14d. Names (typed or printed)	
				14e. Date (dd/mm/yyyy):	
User/Installer Responsibilities It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.					